

## Qualified Vendors List (QVL)

Project Name:

Size	Vendor	Model	CL	Brand	SS/DS	Component	DIMM socket support (Optional)		
							A*	B*	C*
256MB	Kingston	KVR333X64C25/256	N/A	Kingston	SS	D3208DH1T-6	Pass	Pass	Pass
256MB	Kingston	KVR333X64C25/256	N/A	Hynix	SS	HY5DU56822BT-J	Pass	Pass	Pass
256MB	Kingston	KVR333X64C25/256	N/A	Hynix	DS	HY5DU56822BT-D43	Pass	Pass	Pass
512MB	Kingston	KVR333X64C25/512	N/A	Kingston	DS	D3208DH1T-6	Pass	Pass	Pass
512MB	Kingston	KVR333X64C25/512	N/A	Hynix	DS	HY5DU56822BT-J	Pass	Pass	Pass
512MB	Kingston	KVR400X64C3A/512	N/A	Hynix	DS	HY5DU56822BT-D43	Pass	Pass	Pass
512MB	Kingston	KVR400X64C3A/512	N/A	Kingston	DS	D3208DH1T-5	Pass	Pass	Pass
256MB	Kingston	KVR400X64C3A/256	N/A	Hynix	SS	HY5DU56822BT-D43	Pass	Pass	Pass
256MB	Infineon	HYS64D32300GU-5-C	3	Infineon	SS	HYB25D256800CE-5C	Pass	Pass	Pass
512MB	Infineon	HYS64D64320GU-5-C	3	Infineon	DS	HYB25D256800CE-5C	Pass	Pass	Pass
256MB	Infineon	HYS64D32300GU-5-C	N/A	Infineon	SS	HYB25D256800CE-5C	Pass	Pass	Pass
512MB	Infineon	HYS64D64320GU-6-C	N/A	Infineon	DS	HYB25D256800CE-6C	Pass	Pass	Pass
256MB	HY	HYMD232646D8J-D43	N/A	Hynix	SS	HY5DU56822BT-D43	Pass	Pass	Pass
512MB	HY	HYMD264646D8J-D43	N/A	Hynix	DS	HY5DU56822BT-D43	Pass	Pass	Pass
256MB	HY	HYMD232646B8J-J	N/A	Hynix	SS	HY5DU56822BT-J	Pass	Pass	Pass
512MB	HY	HYMD264646B8J-J	N/A	Hynix	DS	HY5DU56822BT-J	Pass	Pass	Pass
256MB	Corsair	VS256MB400	N/A	Value select	SS	VS32M8-5 2B0409	Pass	Pass	Pass
256MB	Corsair	XMS3202v3.1	2	Infineon	SS	HYB25D256807BT-5B	Pass	Pass	Pass
512MB	Corsair	XMS3205v1.2	N/A	Winbond	DS	W942508CH-5	Pass	Pass	Pass
512MB	Corsair	VS512MB400	N/A	Value select	DS	VS32M8-5 2B0402	Pass	Pass	Pass
256MB	Corsair	VS256MB333	N/A	Samsung	SS	K4H5608380-TCB3	Pass	Pass	Pass
512MB	Corsair	XMS2702v3.1	2	Mosel	DS	V58C2256804SAT6	Pass	Pass	Pass

512MB	Corsair	XMS2702v1.2	2	Winbond	DS	W942508CH-6	Pass	Pass	Pass
512MB	Corsair	VS512MB333	N/A	Value select	DS	VS32M8-6 2B0412	Pass	Pass	Pass
512MB	Micron	MT16VDDT6464AG-335GB	N/A	Micron	DS	MT46V32M8TG-6TG	Pass	Pass	Pass
256MB	Micron	MT8VDDT3264AG-335GB	2.5	Micron	SS	MT46V32M8TG-6TG	Pass	Pass	Pass
256MB	Micron	MT8VDDT3264AG-40BGB	3	Micron	SS	MT46V32M8TG-5BG	Pass	Pass	Pass
512MB	Micron	MT16VDDT6464AG-40BCB	3	Micron	DS	MT46V32M8TG-5BC	Pass	Pass	Pass
256MB	Samsung	M368L3223FTN-CCC	3	Samsung	SS	K4H560838F-TCCC	Pass	Pass	Pass
512MB	Samsung	M368L6423FTN-CCC	3	Samsung	DS	K4H560838F-TCCC	Pass	Pass	Pass
256MB	Samsung	M368L3223FTN-CB3	2.5	Samsung	SS	K4H560838F-TCB3	Pass	Pass	Pass
512MB	Samsung	M368L6423FTN-CB3	2.5	Samsung	DS	K4H560838F-TCB3	Pass	Pass	Pass
256MB	Winbond	U24256AAWBG6H20	N/A	Winbond	SS	W942508CH-6	Pass	Pass	Pass
512MB	Winbond	DDR333-512	N/A	Winbond	DS	W942508BH-6	Pass	Pass	-
512MB	Winbond	U24512ADWBG6H20	N/A	Winbond	DS	W942508CH-5	Pass	Pass	Pass
256MB	Elpida	U24256ADEPG6H20	N/A	Elpida	SS	DD2508AKTA-5C	Pass	Pass	Pass
512MB	Elpida	U24512ADEPG6H20	N/A	Elpida	DS	DD2508AMTA	Pass	Pass	Pass
256MB	Transcend	DDR400-256	N/A	Samsung	SS	K4H560838F-TCCC	Pass	Pass	Pass
256MB	Transcend	DDR400-256	N/A	Mosel	SS	V58C2256804SAT5B	Pass	Pass	Pass
512MB	Transcend	DDR400-512	N/A	Mosel	DS	V58C2256804SAT5B	Pass	Pass	Pass
256MB	Transcend	111448-0214	2.5	PSC	SS	A2S56D30BTP	Pass	Pass	Pass
256MB	Kingmax	MPMB62D-38LT3R	N/A	Mosel	SS	V58C2256804SAT6	Pass	Pass	Pass
512MB	Kingmax	MPMC22D-38HT3R	N/A	Hynix	DS	HY5DU56822BT-J	Pass	Pass	Pass
256MB	Kingmax	MPXB62D-38KT3R	N/A	Kingmax	SS	KDL388P4LA-50	Pass	Pass	Pass
512MB	Kingmax	MPXC22D-38KT3R	N/A		DS	KDL388P4EA-50	Pass	Pass	Pass
512MB	Mosel	V826664K24SATG-D3	3	Mosel	DS	V58C2256804SAT5	Pass	Pass	Pass
256MB	Nanya	NT256D64S88B1G-5T	3	Nanya	SS	NT5DS32M8BT-5T	Pass	Pass	Pass
256MB	Apacer	77.10636.46G	3	Samsung	SS	K4H560838E-TCCC	Pass	Pass	-

256MB	Smart	U24256ADSRG6H20	N/A	Smart	SS	D32M8XS60HBX4AMV	Pass	Pass	Pass
512MB	Smart	U24512ADSRG6H20	N/A	Smart	DS	D32M8XS60HBX4AMV	Pass	Pass	Pass
256MB	Twinmos	M2G9108A-TT	2.5	Twinmos	SS	TMD7608F8E501	Pass	Pass	Pass
512MB	Promos	V826664K24SCTG-D0	2.5	Promos	DS	V58C2256804SCT5B	Pass	Pass	Pass
512MB	BiaoXing	BXXC22D-38KT3B	N/A	BiaoXing	DS	VM256D328BT-5	Pass	Pass	Pass

Note:

A\* : Supports one module inserted in any slot as Single-channel memory configuration

B\* : Supports one pair of modules inserted into either the blue slots or the black slots as one pair of Dual-channel memory configuration

C\* : Supports 4 modules inserted into both the blue and black slots as two pairs of Dual-channel memory configuration