

M2N-MX SE DDR2 533 Qualified Vendors List (QVL)

Size	Vendor	Chip No.	CL	Brand	SS/DS	Part No.	DIMM socket support (Optional)	
							A*	B*
DDR2 533 256MB	Kingston	KVR533D2N4/256	N/A	Elpida	SS	E5116AB-5C-E	Pass	Pass
DDR2 533 256MB	Kingston	KVR533D2N4/256	N/A	Elpida	SS	E5116AF-5C-E	Pass	Pass
DDR2 533 512MB	Kingston	KVR533D2N4/512	N/A	Hynix	DS	HY5PS56821F-C4	Pass	Pass
DDR2 533 512MB	Kingston	KVR533D2N4/512	N/A	Infineon	SS	HYB18T512800AF3733336550	Pass	Pass
DDR2 533 1G	Kingston	KVR533D2N4/1G	N/A	Kingston	DS	D6408TE7BL-37	Pass	Pass
DDR2 533 256MB	Samsung	M378T3253FG0-CD5	N/A	Samsung	SS	K4T56083QF-GCD5	Pass	Pass
DDR2 533 512MB	Samsung	M378T6553BG0-CD5	4	Samsung	SS	K4T51083QB-GCD5	Pass	Pass
DDR2 533 256MB	Qimonda	HYS64T32000HU-3.7-A	4	Qimonda	SS	HYB18T512160AF-3.7AFSS31270	Pass	Pass
DDR2 533 512MB	Qimonda	HYS64T64000GU-3.7-A	4	Qimonda	SS	HYB18T512800AC37SSS11511	Pass	Pass
DDR2 533 512MB	Qimonda	HYS64T64000HU-3.7-A	N/A	Qimonda	SS	HYB18T512800AF37SSS12079	Pass	Pass
DDR2 533 512MB	Qimonda	HYS64T64000HU-3.7-A	N/A	Qimonda	SS	HYB18T512800AF37FSS29334	Pass	Pass
DDR2 533 256MB	HY	HYMP532U64CP6-C4 AB	4	Hynix	SS	HY5PS121621CFP-C4	Pass	Pass
DDR2 533 1G	HY	HYMP512U64CP8-C4 AB	4	Hynix	DS	HY5PS12821CFP-C4	Pass	Pass
DDR2 533 512MB	Micron	MT 16HTF6464AG-53EB2	4	Micron	DS	D9BOM	Pass	Pass
DDR2 533 512MB	Micron	MT 16HTF6464AG-53EB2	4	Micron	DS	Z9BQT	Pass	Pass
DDR2 533 1G	Micron	MT 16HTF12864AY-53EA1	4	Micron	DS	D9CRZ	Pass	Pass
DDR2 533 512MB	Corsair	VS512MB533D2	N/A	Corsair	DS	MIII0052532M8CEC	Pass	Pass
DDR2 533 512MB	Elpida	EBE51UD8ABFA-5C-E	N/A	Elpida	SS	E5108AB-5C-E	Pass	Pass
DDR2 533 512MB	Transcend	512MB DDR2 533 ECC	N/A	Micron	SS	6ND22D9GCT(ECC)	Pass	Pass
DDR2 533 512MB	Kingmax	KLBC28F-A8KB4	N/A	Kingmax	SS	KKEA88B4IAK-37	Pass	Pass
DDR2 533 256MB	Kingmax	KLBB68F-36EP4	N/A	Elpida	SS	E5116AB-5C-E	Pass	Pass
DDR2 533 512MB	Kingmax	KLBC28F-A8EB4	N/A	Elpida	SS	E5108AE-5C-E	Pass	Pass

Note:

A* : Supports one module inserted in any slot as Single-channel memory configuration

B* : Supports one pair of modules inserted into either the blue slots or the black slots as one pair of Dual-channel memory configuration

M2N-MX SE DDR2 667 Qualified Vendors List (QVL)

Size	Vendor	Chip No.	CL	Brand	SS/DS	Part No.	DIMM socket support (Optional)	
							A*	B*
DDR2 667 256MB	Kingston	KVR667D2N5/256	N/A	Elpida	SS	E2508AB-6E-E	Pass	Pass
DDR2 667 512MB	Kingston	KVR667D2N5/512	N/A	Kingston	SS	D6408TE8WL-27	Pass	Pass
DDR2 667 512MB	Kingston	KVR667D2E5/512	N/A	Elpida	SS	E5108AE-6E-E(ECC)	Pass	Pass
DDR2 667 1G	Kingston	KVR667D2N5/1G	N/A	Kingston	DS	D6408TE8WL-3	Pass	Pass
DDR2 667 1G	Kingston	KVR667D2N5/1G	N/A	Kingston	DS	D6408TEBGGL3U	Pass	Pass
DDR2 667 512MB	Samsung	KR M378T6553CZ0-CE6	N/A	Samsung	SS	K4T51083QC	Pass	Pass
DDR2 667 512MB	Samsung	KR M378T6453FZ0-CE6	N/A	Samsung	DS	K4T56083QF-ZCE6	Pass	Pass
DDR2 667 512MB	Samsung	M378T6553CZ3-CE6	N/A	Samsung	SS	K4T51083QC-ZCE6	Pass	Pass
DDR2 667 1G	Samsung	M378T2953CZ3-CE6	N/A	Samsung	DS	K4T51083QC-ZCE6	Pass	Pass
DDR2 667 1G	Samsung	KR M378T2953CZ0-CE6	N/A	Samsung	DS	K4T51083QC-ZCE6	Pass	Pass
DDR2 667 256MB	Qimonda	HYS64T32000HU-3S-A	N/A	Qimonda	SS	HYB18T512160AF-3SSSS17310	Pass	Pass
DDR2 667 512MB	Qimonda	HYS64T32000HU-3S-A	N/A	Qimonda	SS	HYB18T5128000AF-3SSSS27416	Pass	Pass
DDR2 667 512MB	Qimonda	HYS64T64000HU-3S-A	N/A	Qimonda	SS	HYB18T512800AF3SFSS05346	Pass	Pass
DDR2 667 1G	Qimonda	HYS64T128020HU-3S-A	N/A	Qimonda	DS	HYB18T512800AF3SSSS28104	Pass	Pass
DDR2 667 512MB	Corsair	VS512MB667D2	N/A	Corsair	DS	MIII0052532M8CEC	Pass	Pass
DDR2 667 512MB	Corsair	CM2X512-5400C4	4	Corsair	SS	Heat-Sink Package	Pass	Pass
DDR2 667 1G	Corsair	VS1GB667D2	N/A	Corsair	DS	MID095D62864M8CEC	Pass	Pass
DDR2 667 256MB	HY	HYMP532U64CP6-Y5 AB	5	Hynix	SS	HY5PS121621CFP-Y5	Pass	Pass
DDR2 667 512MB	HY	HYMP564U64AP8-Y4 AA	N/A	Hynix	SS	HY5PS12821AFP-Y4	Pass	Pass
DDR2 667 512MB	HY	HYMP564U64AP8-Y5 AA	N/A	Hynix	SS	HY5PS12821AFP-Y5	Pass	Pass
DDR2 667 512MB	HY	HYMP564U72AP8-Y4	N/A	Hynix	SS	HY5PS12821AFP-Y4(ECC)	Pass	Pass
DDR2 667 512MB	HY	HYMP564U72AP8-Y5	N/A	Hynix	SS	HY5PS12821AFP-Y5(ECC)	Pass	Pass
DDR2 667 1G	HY	HYMP512U72AP8-Y5	N/A	Hynix	DS	HY5PS12821AFP-Y5(ECC)	Pass	Pass
DDR2 667 1G	HY	HYMP512U64AP8-Y5 AB	N/A	Hynix	DS	HY5PS12821AFP-Y5	Pass	Pass
DDR2 667 1G	HY	HYMP512U64CP8-Y5 AB	5	Hynix	DS	HY5PS12521CFP-Y5	Pass	Pass

DDRII 667 512MB	Kingmax	KLCC28F-A8EB5	N/A	Elpida	SS	E5108AE-6E-E	Pass	Pass
DDRII 667 512MB	Kingmax	KLCC28F-A8KB5	N/A	Kingmax	SS	KKEA88B4LAUG-29DX	Pass	Pass
DDRII 667 1G	Kingmax	KLCD48F-A8KB5	N/A	Kingmax	DS	KKEA88B4LAUG-29DX	Pass	Pass
DDRII 667 512MB	Apacer	78.91092.420	N/A	Elpida	SS	E5108AE-6E-E	Pass	Pass
DDRII 667 512MB	Apacer	AU512E667C5KBGC	5	Apacer	SS	AM4B5708MIJS7E0627B	Pass	Pass
DDRII 667 512MB	Apacer	AU512E667C5KBGC	5	Apacer	SS	AM4B5708GQJS7E06332F	Pass	Pass
DDRII 667 1G	Apacer	AU01GE667C5KBGC	N/A	Apacer	DS	AM4B5708GQJS7E0636B	Pass	Pass
DDRII 667 1G	Apacer	78.01092.420	5	Elpida	DS	E5108AE-6E-E	Pass	Pass
DDRII 667 1G	Apacer	AU01GE667C5KBGC	5	Apacer	DS	AM4B5708MIJS7E0627B	Pass	Pass
DDRII 667 512MB	ADATA	M20EL5G3H3160B1C0Z	N/A	Elpida	SS	E5108AE-6E-E	Pass	Pass
DDRII 667 512MB	ADATA	M20AD5G3H3166I1C52	N/A	ADATA	SS	AD29608A8A-3EG20648	Pass	Pass
DDRII 667 1G	ADATA	M20AD5G3I4176I1C52	N/A	ADATA	DS	AD29608A8A-3EG20645	Pass	Pass
DDRII 667 512MB	VDATA	M2GVD5G3H31A4I1C52	N/A	VDATA	SS	VD29608A8A-3EC20615	Pass	Pass
DDRII 667 512MB	VDATA	M2YVD5G3H31P4I1C52	N/A	VDATA	SS	VD29608A8A-3EG20627	Pass	Pass
DDRII 667 512MB	VDATA	M2GVD5G3H166I1C52	N/A	VDATA	SS	VD29608A8A-3EG20637	Pass	Pass
DDRII 667 1G	VDATA	M2GVD5G3I41P6I1C52	N/A	VDATA	DS	VD29608A8A-3EG20627	Pass	Pass
DDRII 667 1G	VDATA	M2GVD5G3I41C4I1C52	N/A	VDATA	DS	VD29608A8A-3EC20620	Pass	Pass
DDRII 667 1G	VDATA	M2GVD5G3I4176I1C52	N/A	VDATA	DS	VD29608A8A-3EG20641	Pass	Pass
DDRII 667 512MB	PSC	AL6E8E63B-6E1K	5	PSC	SS	A3R12E3GEF637BLC5N	Pass	Pass
DDRII 667 1G	PSC	AL7E8E63B-6E1K	5	PSC	DS	A3R12E3GEF637BLC5N	Pass	Pass
DDRII 667 256MB	Nanya	NT256T64UH4A1FY-3C	N/A	Nanya	SS	NT5TU32M16AG-3C	Pass	Pass
DDRII 667 512MB	Nanya	NT512T64U88A1BY-3C	N/A	Nanya	SS	NT5TU64M8AE-3C	Pass	Pass

Note:

A* : Supports one module inserted in any slot as Single-channel memory configuration

B* : Supports one pair of modules inserted into either the blue slots or the black slots as one pair of Dual-channel memory configuration

M2N-MX SE DDR2 800 Qualified Vendors List (QVL)

Size	Vendor	Chip No.	CL	Brand	SS/DS	Part No.	DIMM socket support (Optional)	
							A*	B*
DDRII 800 512MB	Kingston	KVR800D2N5/512	N/A	Samsung	SS	K4T51083QC-ZCE7	Pass	Pass
DDRII 800 512MB	Kingston	KVR800D2N5/512	N/A	Promos	SS	V59C15T2804QBFZ5S005470/PEBP A	Pass	Pass
DDRII 800 1G	Kingston	KVR800D2N5/1G	N/A	Samsung	DS	K4T51083QC-ZCE7	Pass	Pass
DDRII 800 1G	Kingston	KHX6400D2LL/1G	N/A	Kingston	DS	Heat-Sink Package	Pass	Pass
DDRII 800 1G	Kingston	KVR800D2N5/1G	N/A	Nanya	DS	NT5TU64M8BE-25C62321800CP	Pass	Pass
DDRII 800 512MB	Samsung	KR M378T6553CZ3-CE7	N/A	Samsung	SS	K4T51083QC-ZCE7	Pass	Pass
DDRII 800 1G	Samsung	KR M378T2953CZ3-CE7	N/A	Samsung	DS	K4T51083QC-ZCE7	Pass	Pass
DDRII 800 512MB	Samsung	KR M391T6553CZ3-CE7	N/A	Samsung	SS	K4T51083QC-ZCE7(ECC)	Pass	Pass
DDRII 800 1G	Samsung	KR M391T2953CZ3-CE7	N/A	Samsung	DS	K4T51083QC-ZCE7(ECC)	Pass	Pass
DDRII 800 256MB	Qimonda	HYS64T32001HU-2.5-A	N/A	Qimonda	SS	HYB18T256800AF25SSS49313	Pass	Pass
DDRII 800 512MB	Qimonda	HYS64T64020HU-2.5-A	N/A	Qimonda	DS	HYB18T256800AF25SSS25063	Pass	Pass
DDRII 800 512MB	Micron	MT9HTF6472AY-80ED4	5	Micron	SS	6ED22D9GKX(ECC)	Pass	Pass
DDRII 800 512MB	Corsair	CM2X512A-6400	5	Corsair	SS	Heat-Sink Package	Pass	Pass
DDRII 800 1G	Corsair	CM2X1024-6400	5	Corsair	DS	Heat-Sink Package	Pass	Pass
DDRII 800 512MB	HY	HYMP564U64AP8-S6 AA	N/A	Hynix	SS	HY5PS12821AFP-S6	Pass	Pass
DDRII 800 512MB	HY	HYMP564U64BP8-S5 AB	N/A	Hynix	SS	HY5PS12821BFP-S5	Pass	Pass
DDRII 800 512MB	HY	HYMP564U64CP8-S5 AB	5	Hynix	SS	HY5PS12821CFP-S5	Pass	Pass
DDRII 800 1G	HY	HYMP512U64AP8-S6 AA	N/A	Hynix	DS	HY5PS12821AFP-S6	Pass	Pass
DDRII 800 1G	HY	HYMP512U64BP8-S5 AB	5	Hynix	DS	HY5PS12821BFP-S5	Pass	Pass
DDRII 800 1G	HY	HYMP512U64CP8-S5 AB	5	Hynix	DS	HY5PS12821CFPS5	Pass	Pass
DDRII 800 512MB	VDATA	M2GVD6G3H3160I1E53	N/A	VDATA	SS	VD29608A8A-25EG30648	Pass	Pass
DDRII 800 1G	VDATA	M2GVD6G3I4170I1E53	N/A	VDATA	DS	VD29608A8A-25EG30647	Pass	Pass
DDRII 800 512MB	PSC	AL6E8E63B-8E1K	5	PSC	SS	A3R12E3HEF641B9A05	Pass	Pass
DDRII 800 1G	PSC	AL7E8E63B-8E1K	5	PSC	DS	A3R12E3HEF641B9A05	Pass	Pass

Note: :

A* : Supports one module inserted in any slot as Single-channel memory configuration

B* : Supports one pair of modules inserted into either the blue slots or the black slots as one pair of Dual-channel memory configuration