

M2S-X DDR2 800 Qualified Vendors List (QVL)

Size	Vendor	Model	Brand	SS/DS	Component	DIMM socket support (Optional)		
						A*	B*	C*
DDR II 800 512MB	Kingston	KVR800D2N5/512	Samsung	SS	K4T51083QC-ZCE7	v	v	v
DDR II 800 512MB	Kingston	KVR800D2N5/512	Promos	SS	V59C1512804QBF25S0054707PEBPA	v	v	v
DDR II 800 1G	Kingston	KVR800D2N5/1G	Samsung	DS	K4T51083QC-ZCE7	v	v	v
DDR II 800 1G	Kingston	KHX6400D2LL/1G	Kingston	DS	Heat-Sink Package	v	v	v
DDR II 800 1G	Kingston	KVR800D2N5/1G	Nanya	DS	NT5TU64M8BE-25C62321800CP	v	v	v
DDR II 800 512MB	Samsung	KR M378T6553CZ3-CE7	Samsung	SS	K4T51083QC-ZCE7	v	v	v
DDR II 800 1G	Samsung	KR M378T2953CZ3-CE7	Samsung	DS	K4T51083QC-ZCE7	v	v	v
DDR II 800 512MB	Samsung	KR M391T6553CZ3-CE7	Samsung	SS	K4T51083QC-ZCE7(ECC)	v	v	v
DDR II 800 1G	Samsung	KR M391T2953CZ3-CE7	Samsung	DS	K4T51083QC-ZCE7(ECC)	v	v	v
DDR II 800 256MB	Qimonda	HYS64T32001HU-2.5-A	Qimonda	SS	HYB18T256800AF25SSS49313	v	v	v
DDR II 800 512MB	Qimonda	HYS64T64020HU-2.5-A	Qimonda	DS	HYB18T256800AF25SSS25063	v	v	v
DDR II 800 512MB	Micron	MT9HTF6472AY-80ED4	Micron	SS	6ED22D9GKX(ECC)	v	v	v
DDR II 800 512MB	Corsair	CM2X512A-6400	Corsair	SS	Heat-Sink Package	v	v	v
DDR II 800 1G	Corsair	CM2X1024-6400	Corsair	DS	Heat-Sink Package	v	v	v
DDR II 800 512MB	HY	HYMP564U64BP8-S5 AB	Hynix	SS	HY5PS12821BFP-S5	v	v	v
DDR II 800 1G	HY	HYMP512U64AP8-S6 AA	Hynix	DS	HY5PS12821AFP-S6	v	v	v
DDR II 800 1G	HY	HYMP512U64BP8-S5 AB	Hynix	DS	HY5PS12821BFP-S5	v	v	v
DDR II 800 512MB	VDATA	M2GVD6G3H31601E53	VDATA	SS	VD29608A8A-25EG30648	v	v	v
DDR II 800 1G	VDATA	M2GVD6G3I41701E53	VDATA	DS	VD29608A8A-25EG30647	v	v	v

A* : Supports one module inserted in any slot as Single-channel memory configuration.

B* : Supports one pair of modules inserted into either the yellow slots or the black slots as one pair of Dual-channel memory configuration

C* : Supports 4 modules inserted into both the yellow and black slots as two pairs of Dual-channel memory configuration

M2S-X DDR2 667 Qualified Vendors List (QVL)

Size	Vendor	Model	Brand	SS/DS	Component	IMM socket support (Optional)		
						A*	B*	C*
DDR2 667 256MB	Kingston	KVR667D2N5/256	Elpida	SS	E2508AB-6E-E	v	v	v
DDR2 667 512MB	Kingston	KVR667D2N5/512	Kingston	SS	D6408TE8WL-27	v	v	v
DDR2 667 512MB	Kingston	KVR667D2E5/512	Elpida	SS	E5108AE-6E-E(ECC)	v	v	v
DDR2 667 1G	Kingston	KVR667D2N5/1G	Kingston	DS	D6408TE8WL-3	v	v	v
DDR2 667 512MB	Samsung	KR M378T6553CZ0-CE6	Samsung	SS	K4T51083QC	v	v	v
DDR2 667 512MB	Samsung	KR M378T6453FZ0-CE6	Samsung	DS	K4T56083QF-ZCE6	v	v	v
DDR2 667 512MB	Samsung	M378T6553CZ3-CE6	Samsung	SS	K4T51083QC-ZCE6	v	v	v
DDR2 667 1G	Samsung	M378T2953CZ3-CE6	Samsung	DS	K4T51083QC-ZCE6	v	v	v
DDR2 667 1G	Samsung	KR M378T2953CZ0-CE6	Samsung	DS	K4T51083QC-ZCE6	v	v	v
DDR2 667 256MB	Qimonda	HYS64T32000HU-3S-A	Qimonda	SS	HYB18T512160AF-3SSSS17310	v	v	v
DDR2 667 512MB	Qimonda	HYS64T32000HU-3S-A	Qimonda	SS	HYB18T5128000AF-3SSSS27416	v	v	v
DDR2 667 512MB	Qimonda	HYS64T64000HU-3S-A	Qimonda	SS	HYB18T512800AF3SFSS05346	v	v	v
DDR2 667 1G	Qimonda	HYS64T128020HU-3S-A	Qimonda	DS	HYB18T512800AF3SSSS28104	v	v	v
DDR2 667 512MB	Corsair	CM2X512-5400C4	Corsair	SS	Heat-Sink Package	v	v	v
DDR2 667 1G	Corsair	VS1GB667D2	Corsair	DS	MID095D62864M8CEC	v	v	v
DDR2 667 512MB	HY	HYMP564U64AP8-Y4 AA	Hynix	SS	HY5PS12821AFP-Y4	v	v	v
DDR2 667 512MB	HY	HYMP564U64AP8-Y5 AA	Hynix	SS	HY5PS12821AFP-Y5	v	v	v
DDR2 667 512MB	HY	HYMP564U72AP8-Y4	Hynix	SS	HY5PS12821AFP-Y4(ECC)	v	v	v
DDR2 667 512MB	HY	HYMP564U72AP8-Y5	Hynix	SS	HY5PS12821AFP-Y5(ECC)	v	v	v
DDR2 667 1G	HY	HYMP512U72AP8-Y5	Hynix	DS	HY5PS12821AFP-Y5(ECC)	v	v	v
DDR2 667 1G	HY	HYMP512U64AP8-Y5 AB	Hynix	DS	HY5PS12821AFP-Y5	v	v	v
DDR2 667 512MB	Kingmax	KLCC28F-A8EB5	Elpida	SS	E5108AE-6E-E	v	v	v
DDR2 667 512MB	Kingmax	KLCC28F-A8KB5	Kingmax	SS	KKEA88B4LAUG-29DX	v	v	v
DDR2 667 1G	Kingmax	KLCD48F-A8KB5	Kingmax	DS	KKEA88B4LAUG-29DX	v	v	v
DDR2 667 512MB	Apacer	78.91092.420	Elpida	SS	E5108AE-6E-E	v	v	v
DDR2 667 512MB	Apacer	AU512E667C5KBGC	Apacer	SS	AM4B5708MIJS7E0627B	v	v	v
DDR2 667 512MB	Apacer	AU512E667C5KBGC	Apacer	SS	AM4B5708GQJS7E06332F	v	v	v
DDR2 667 1G	Apacer	AU01GE667C5KBGC	Apacer	DS	AM4B5708GQJS7E0636B	v	v	v
DDR2 667 1G	Apacer	78.01092.420	Elpida	DS	E5108AE-6E-E	v	v	v
DDR2 667 1G	Apacer	AU01GE667C5KBGC	Apacer	DS	AM4B5708MIJS7E0627B	v	v	v
DDR2 667 512MB	ADATA	M20EL5G3H3160B1C0Z	Elpida	SS	E5108AE-6E-E	v	v	v
DDR2 667 512MB	ADATA	M20AD5G3H31661C52	ADATA	SS	AD29608A8A-3EG20648	v	v	v
DDR2 667 1G	ADATA	M20AD5G3I41761C52	ADATA	DS	AD29608A8A-3EG20645	v	v	v
DDR2 667 512MB	VDATA	M2GVD5G3H31A4I1C52	VDATA	SS	VD29608A8A-3EC20615	v	v	v

DDRII 667 512MB	VDATA	M2YVD5G3H31P4I1C52	VDATA	SS	VD29608A8A-3EG20627	v	v	v
DDRII 667 512MB	VDATA	M2GVD5G3H166I1C52	VDATA	SS	VD29608A8A-3EG20637	v	v	v
DDRII 667 1G	VDATA	M2GVD5G3I41P6I1C52	VDATA	DS	VD29608A8A-3EG20627	v	v	v
DDRII 667 1G	VDATA	M2GVD5G3I41C4I1C52	VDATA	DS	VD29608A8A-3EC20620	v	v	v
DDRII 667 1G	VDATA	M2GVD5G3I4176I1C52	VDATA	DS	VD29608A8A-3EG20641	v	v	v

A* : Supports one module inserted in any slot as Single-channel memory configuration.

B* : Supports one pair of modules inserted into either the yellow slots or the black slots as one pair of Dual-channel memory configuration

C* : Supports 4 modules inserted into both the yellow and black slots as two pairs of Dual-channel memory configuration

M2S-X DDR2 533 Qualified Vendors List (QVL)

Size	Vendor	Model	Brand	SS/DS	Component	DIMM socket support (Optional)		
						A*	B*	C*
DDR2 533 256MB	Kingston	KVR533D2N4/256	Elpida	SS	E5116AB-5C-E	v	v	v
DDR2 533 256MB	Kingston	KVR533D2N4/256	Elpida	SS	E5116AF-5C-E	v	v	v
DDR2 533 512MB	Kingston	KVR533D2N4/512	Hynix	DS	HY5PS56821F-C4	v	v	v
DDR2 533 512MB	Kingston	KVR533D2N4/512	Infineon	SS	HYB18T512800AF3733336550	v	v	v
DDR2 533 1G	Kingston	KVR533D2N4/1G	Kingston	DS	D6408TE7BL-37	v	v	v
DDR2 533 1G	Kingston	KVR533D2N4/1G	Micron	DS	5YD11D9GCT	v	v	v
DDR2 533 256MB	Samsung	M378T3253FG0-CD5	Samsung	SS	K4T56083QF-GCD5	v	v	v
DDR2 533 512MB	Samsung	M378T6553BG0-CD5	Samsung	SS	K4T51083QB-GCD5	v	v	v
DDR2 533 512MB	Qimonda	HYS64T64000GU-3.7-A	Qimonda	SS	HYB18T512800AC37SSS11511	v	v	v
DDR2 533 512MB	Qimonda	HYS64T64000HU-3.7-A	Qimonda	SS	HYB18T512800AF37FSS29334	v	v	v
DDR2 533 512MB	Micron	MT 16HTF6464AG-53EB2	Micron	DS	D9BOM	v	v	v
DDR2 533 1G	Micron	MT 16HTF12864AY-53EA1	Micron	DS	D9CRZ	v	v	v
DDR2 533 512MB	Corsair	VS512MB533D2	Corsair	DS	MIII0052532M8CEC	v	v	v
DDR2 533 512MB	Elpida	EBE51UD8ABFA-5C-E	Elpida	SS	E5108AB-5C-E	v	v	v
DDR2 533 512MB	Transcend	512MB DDR2 533 ECC	Micron	SS	6ND22D9GCT(ECC)	v	v	v
DDR2 533 512MB	Kingmax	KLBC28F-A8KB4	Kingmax	SS	KKEA88B4IAK-37	v	v	v
DDR2 533 256MB	Kingmax	KLBB68F-36EP4	Elpida	SS	E5116AB-5C-E	v	v	v
DDR2 533 512MB	Kingmax	KLBC28F-A8EB4	Elpida	SS	E5108AE-5C-E	v	v	v

A* : Supports one module inserted in any slot as Single-channel memory configuration.

B* : Supports one pair of modules inserted into either the yellow slots or the black slots as one pair of Dual-channel memory configuration

C* : Supports 4 modules inserted into both the yellow and black slots as two pairs of Dual-channel memory configuration