

Qualified Vendors List (QVL) Standard table for user manual

Size	Vendor	Model	CL	Brand	SS/DS	Component	DIMM socket support (Optional)		
							A*	B*	C*
DDR2 1066 512MB	ADATA	M2OMIDG3H3160INC5Z	5	ADATA	SS	Heat-Sink Package	Pass	Pass	Pass
DDR2 1066 1G	ADATA	M2OMIDG314720INC5Z	5	ADATA	DS	Heat-Sink Package	Pass	Pass	Pass
DDR2 1066 512MB	AENEON	AXT660UD00-19DC97X	5	AENEON	SS	Heat-Sink Package	N/A	Pass	Pass
DDR2 1066 1G	Corsair	CM2X1024-8500C5	N/A	Corsair	DS	Heat-Sink Package	Pass	Pass	N/A
DDR2 1066 1G	Corsair	CM2X1024-8500C5D	5	Corsair	DS	Heat-Sink Package	Pass	Pass	Pass
DDR2 1066 1G	GEIL	M016E2864T2AGXAKT7G330520	5	Micron	DS	7KD22D9GMH	Pass	Pass	Pass
DDR2 1066 1G	GEIL	GB22GB8500C5DC	5	GEIL	SS	GL2L128M88BA25AB	N/A	Pass	Pass
DDR2 1066 1G	GEIL	GB24GB8500C5QC	5	GEIL	SS	GL2L128M88BA25AB	N/A	Pass	Pass
DDR2 1066 1G	GEIL	GE22GB1066C5DC	5	GEIL	DS	Heat-Sink Package	N/A	Pass	Pass
DDR2 1066 1G	GEIL	GE24GB1066C5QC	5	GEIL	DS	Heat-Sink Package	N/A	Pass	Pass
DDR2 1066 512MB	Kingbox	EP512D21066PS	N/A	Micron	SS	6QD22D9GCT	Pass	Pass	Pass
DDR2 1066 1G	Kingmax	KLED48F-A8K15	N/A	Kingmax	DS	KKA8FFIXF-JFS-18A	N/A	Pass	Pass
DDR2 1066 512MB	Kingston	KHX8500D2/512	N/A	Kingston	SS	Heat-Sink Package	N/A	Pass	Pass
DDR2 1066 512MB	Kingston	KVR1066D2N7/512	N/A	Elpida	SS	E5108AJBG-1J-E	N/A	Pass	Pass
DDR2 1066 512MB	Kingston	KHX8500D2K2/1GN	N/A	Kingston	SS	Heat-Sink Package	N/A	Pass	Pass
DDR2 1066 1G	Kingston	KHX8500D2K2/2GN	N/A	Kingston	DS	Heat-Sink Package	N/A	Pass	Pass
DDR2 1066 1G	Kingston	KVR1066D2N7/1G	N/A	Elpida	DS	E5108AJBG-1J-E	N/A	Pass	Pass
DDR2 1066 1G	Kingston	KHX8500D2/1G	N/A	Kingston	DS	Heat-Sink Package	N/A	Pass	Pass
DDR2 1066 1G	OCZ	OCZ2N10662GK	N/A	OCZ	DS	Heat-Sink Package	Pass	Pass	Pass
DDR2 1066 1G	Qimonda	HYS64T128020EU-19F-C	6	Qimonda	DS	HYB18T512800CF19FFSS24313	Pass	Pass	Pass
DDR2 1066 1G	Transcend	TX1066QLJ-2GK1GB	5	Transced	DS	Heat-Sink Package	N/A	Pass	Pass

A* : Supports one module inserted in any slot as Single-channel memory configuration

B* : Supports one pair of modules inserted into either the blue slots or the black slots as one pair of Dual-channel memory configuration

C* : Supports 4 modules inserted into both the blue and black slots as two pairs of Dual-channel memory configuration

Qualified Vendors List (QVL) Standard table for user manual

Size	Vendor	Model	CL	Brand	SS/DS	Component	DIMM socket support (Optional)		
							A*	B*	C*
DDR2 800 512MB	ADATA	M20AD6G3H3160I1E58	N/A	ADATA	SS	AD29608A8A-25EG80720	N/A	Pass	Pass
DDR2 800 1G	ADATA	M20AD6G314170Q1E58	N/A	ADATA	DS	AD29608A8A-25EG80810	N/A	Pass	Pass
DDR2 800 2G	Apacer	78.A1GA0.9K4	5	Apacer	DS	AM4B5808CQJS8E0740E	N/A	Pass	Pass
DDR2 800 1G	Apacer	78.01GA0.9K5	5	Apacer	SS	AM4B5808CQJS8E0749D	N/A	Pass	Pass
DDR2 800 1G	Corsair	XMS2-6400	5	Corsair	DS	Heat-Sink Package	N/A	Pass	Pass
DDR2 800 2G	G.SKILL	F2-6400CL5D-4GBPQ	5	G.SKILL	DS	Heat-Sink Package	N/A	Pass	Pass
DDR2 800 2G	GEIL	GB28GB6400C4QC	4	GEIL	DS	GL2L128M88BA25AB	N/A	Pass	Pass
DDR2 800 1G	HY	HYMP512U64AP8-S6 AA	N/A	Hynix	DS	HY5PS12821AFP-S6	N/A	Pass	Pass
DDR2 800 512MB	HY	HYMP564U64CP8-S5 AB	5	Hynix	SS	HY5PS12821CFP-S5	N/A	Pass	Pass
DDR2 800 512MB	Kingmax	KLDC28F-A8KI5	N/A	Kingmax	SS	KKA8FF1XF-JFS-25A	N/A	Pass	Pass
DDR2 800 1G	Kingston	KHX6400D2LL/1G	N/A	Kingston	DS	Heat-Sink Package	N/A	Pass	Pass
DDR2 800 2G	Kingston	KVR800D2N5/2G	N/A	Elpida	DS	E1108ACBG-8E-E	N/A	Pass	Pass
DDR2 800 1G	Micron	MT18HTF12872AY-80ED4	5	Micron	DS	6TD22D9GKX(ECC)	N/A	Pass	Pass
DDR2 800 1G	OCZ	OCZ2P800R22GK	4	OCZ	DS	Heat-Sink Package	N/A	Pass	Pass
DDR2 800 1G	PSC	AL7E8F73C-8E1	5	PSC	SS	A3R1GE3CFF734MAA0E	N/A	Pass	Pass
DDR2 800 2G	PSC	AL8E8F73C-8E1	5	PSC	DS	A3R1GE3CFF734MAA0E	N/A	Pass	Pass
DDR2 800 512MB	Qimonda	HYS64T64000EU-2.5-B2	6	Qimonda	SS	HYB18T512800B2F25FSS28380	N/A	Pass	Pass
DDR2 800 1G	Samsung	KR M378T2953CZ3-CE7	N/A	Samsung	DS	K4T51083QC-ZCE7	N/A	Pass	Pass
DDR2 800 1G	Samsung	KR M391T2953CZ3-CE7	N/A	Samsung	DS	K4T51083QC-ZCE7(ECC)	N/A	Pass	Pass
DDR2 800 1G	Samsung	M378T2953GZ3-CF7	6	Samsung	DS	K4T51083QG-HCF7	N/A	Pass	Pass
DDR2 800 1G	Super Talent	T800UB1GC4	4	Super Talent	DS	Heat-Sink Package	N/A	Pass	Pass
DDR2 800 512MB	Transcend	TS64MLQ64V8J512MB	N/A	Transcend	SS	Heat-Sink Package	N/A	Pass	Pass
DDR2 800 1G	VDATA	M2GVD6G3I4170I1E53	N/A	VDATA	DS	VD29608A8A-25EG30647	N/A	Pass	Pass
DDR2 800 512MB	VDATA	M2GVD6G3H3160Q1E52	N/A	VDATA	SS	VD29608A8A-25EG20813	N/A	Pass	Pass

A* : Supports one module inserted in any slot as Single-channel memory configuration

B* : Supports one pair of modules inserted into either the blue slots or the black slots as one pair of Dual-channel memory configuration

C* : Supports 4 modules inserted into both the blue and black slots as two pairs of Dual-channel memory configuration

Qualified Vendors List (QVL) Standard table for user manual

Size	Vendor	Model	CL	Brand	SS/DS	Component	DIMM socket support (Optional)		
							A*	B*	C*
DDR2 667 512MB	ADATA	M20AD5G3H31661C52	N/A	ADATA	SS	AD29608A8A-3EG20648	N/A	Pass	Pass
DDR2 667 512MB	ADATA	M20AD5G3H31661C52	N/A	ADATA	SS	AD29608A8A-3EG20718	N/A	Pass	Pass
DDR2 667 2G	ADATA	M20AD5H3J41701C53	N/A	ADATA	DS	AD20908A8A-3EG 30724	N/A	Pass	Pass
DDR2 667 512MB	Apacer	AU512E667C5KBGC	5	Apacer	SS	AM4B5708MIJS7E0627B	N/A	Pass	Pass
DDR2 667 1G	Apacer	AU01GE667C5KBGC	5	Apacer	DS	AM4B5708MIJS7E0627B	N/A	Pass	Pass
DDR2 667 1G	Apacer	AU01GE667C5KBGC	N/A	Apacer	DS	AM4B5708GQJS7E0636B	N/A	Pass	Pass
DDR2 667 1G	Corsair	VS1GB667D2	N/A	Corsair	DS	MID095D62864M8CEC	N/A	Pass	Pass
DDR2 667 1G	GEIL	GX21GB5300SX	3	GEIL	DS	Heat-Sink Package	N/A	Pass	Pass
DDR2 667 1G	HY	HYMP512U72AP8-Y5	N/A	Hynix	DS	HY5PS12821AFP-Y5(ECC)	N/A	Pass	Pass
DDR2 667 1G	HY	HYMP512U64CP8-Y5 AB	5	Hynix	DS	HY5PS12521CFP-Y5	N/A	Pass	Pass
DDR2 667 512MB	Kingmax	KLCC28F-A8KB5	N/A	Kingmax	SS	KKEA88B4LAUG-29DX	N/A	Pass	Pass
DDR2 667 2G	Kingston	KVR667D2N5/2G	N/A	Micron	DS	7RE22 D9HNL	N/A	Pass	Pass
DDR2 667 1G	Kingston	KVR667D2N5/1G	N/A	Hynix	DS	HY5PS12821EFP-Y5	N/A	Pass	Pass
DDR2 667 1G	Kingtiger	E0736001024667	N/A	Kingtiger	DS	KTG667PS6408NST-C6 GDBTX	N/A	Pass	Pass
DDR2 667 512MB	Nanya	NT512T64U88A1BY-3C	N/A	Nanya	SS	NT5TU64M8AE-3C	N/A	Pass	Pass
DDR2 667 1G	Nanya	NT1GT64U8HB0BY-3C	5	Nanya	DS	NT5TU64M8BE-3C72155700CP	N/A	Pass	Pass
DDR2 667 1G	PSC	AL7E8E63B-6E1K	5	PSC	DS	A3R12E3GEF637BLC5N	N/A	Pass	Pass
DDR2 667 1G	PSC	AL7E8F73C-6E1	5	PSC	SS	A3R1GE3CFF734MAA0J	N/A	Pass	Pass
DDR2 667 512MB	PSC	AL6E8E63J-6E1	5	PSC	SS	A3R12E3JFF717B9A00	N/A	Pass	Pass
DDR2 667 2G	Qimonda	HYS64T256020EU-3S-B	5	Qimonda	DS	HTB18T1G800BF-3S3VV10907	N/A	Pass	Pass
DDR2 667 1G	Qimonda	HYS64T128020EU-3S-B2	5	Qimonda	DS	HYB18T512B00B2F3SFSS28171	N/A	Pass	Pass
DDR2 667 512MB	Samsung	M378T6553CZ3-CE6	N/A	Samsung	SS	K4T51083QC-ZCE6	N/A	Pass	Pass
DDR2 667 1G	Transcend	506010-4894	5	Elpida	DS	E5108AJBG-6E-E	N/A	Pass	Pass
DDR2 667 512MB	VDATA	M2GVD5G3H31A41C52	N/A	VDATA	SS	VD29608A8A-3EC20615	N/A	Pass	Pass
DDR2 667 1G	VDATA	M2GVD5G3I41C41C52	N/A	VDATA	DS	VD29608A8A-3EC20620	N/A	Pass	Pass

A* : Supports one module inserted in any slot as Single-channel memory configuration

B* : Supports one pair of modules inserted into either the blue slots or the black slots as one pair of Dual-channel memory configuration

C* : Supports 4 modules inserted into both the blue and black slots as two pairs of Dual-channel memory configuration

Qualified Vendors List (QVL) Standard table for user manual

Size	Vendor	Model	CL	Brand	SS/DS	Component	DIMM socket support (Optional)		
							A*	B*	C*
DDR2 533 512MB	ADATA	M20AD2G3H3166I1B52	N/A	ADATA	SS	AD29608A8A-37DG20719	N/A	Pass	Pass
DDR2 533 1G	Corsair	VS1GB533D2	N/A	Corsair	DS	64M8CFEGQIB0900718	N/A	Pass	Pass
DDR2 533 1G	Elixir	M2Y1G64TU8HBOB-37B	4	Elixir	DS	N2TU51280BE-37B61921300CP	N/A	Pass	Pass
DDR2 533 512MB	Elpida	EBE51UD8ABFA-5C-E	N/A	Elpida	SS	E5108AB-5C-E	N/A	Pass	Pass
DDR2 533 1G	HY	HYMP512U64CP8-C4 AB	4	Hynix	DS	HY5PS12821CFP-C4	N/A	Pass	Pass
DDR2 533 512MB	Kingmax	KLBC28F-A8KB4	N/A	Kingmax	SS	KKEA88B4IAK-37	N/A	Pass	Pass
DDR2 533 512MB	Kingston	KVR533D2N4/512	N/A	Infineon	SS	HYB18T512800AF3733336550	N/A	Pass	Pass
DDR2 533 1G	Kingston	KVR533D2N4/1G	N/A	Hynix	DS	HY5PS12821EFP-Y5	N/A	Pass	Pass
DDR2 533 512MB	Micron	MT 16HTF6464AG-53EB2	4	Micron	DS	D9BOM	N/A	Pass	Pass
DDR2 533 512MB	Samsung	M378T6553BG0-CD5	4	Samsung	SS	K4T51083QB-GCD5	N/A	Pass	Pass
DDR2 533 512MB	Transcend	512MB DDR2 533 ECC	N/A	Micron	SS	6ND22D9GCT(ECC)	N/A	Pass	Pass

A* : Supports one module inserted in any slot as Single-channel memory configuration

B* : Supports one pair of modules inserted into either the blue slots or the black slots as one pair of Dual-channel memory configuration

C* : Supports 4 modules inserted into both the blue and black slots as two pairs of Dual-channel memory configuration